





## Special Crane Rails

These profiles follow the Arcelor technical specification and can be produced in the same qualities as the former European profiles.



Designation	Weight		B	S	P	H	h <sub>1</sub>	h <sub>2</sub>	h <sub>3</sub>	h <sub>4</sub>	r <sub>1</sub>	r <sub>3</sub>	e <sub>x</sub>
	kg/m	lbs/yd											
MRS 73	73,63	148,43	70	32	146	157	33,3	17	48,4	32	10	5	89
MRS 86	85,5	172,4	102	80,3	165	102	45,1	16	-	-	10	10	54,5
MRS 87 A	86,8	175	101,6	34,9	152,4	152,4	40,2	15,9	50,8	31,8	6,3-9,5	12,7	76,8
MRS 125	125	252	120	40	180	180	52	21	64,7	40	6	10	91,4
MRS 192	192	387,07	140	128,3	229	157,2	41,3	31,8	-	-	9,5	7,9	86,2
MRS 221	221,4	446,32	220	145	220	160	40	17,5	67,5	45	8	10	77,2
AS 86	85,88	173,13	101,6	35	150	152,46	-	15,9	50,8	32,03	10	10	77,3
CR 73	73,3	147,76	100	32	140	135	34,5	13	43	26,5	8	6	68,1
CR 100	100,2	201,99	120	39	155	150	42,9	17	53	31,5	8	6	74,3



Designation	Weight		B1	B2	L	H	H'	P	d <sub>1</sub>	d <sub>2</sub>	d <sub>3</sub>	h <sub>2</sub>	R	r <sub>1</sub>	r <sub>2</sub>	r <sub>3</sub>
	kg/m	lbs/yd	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm
GCRD 42	41,91	84,49	53	18	60	60	52	200	45	15	-	9	300	-	25	4
GCRD 45	45,85	92,43	60	20	70	60	52	218	48	12	-	9	300	-	20	4
GCR 108	107,9	217,5	61	61	75	100	-	263	40	20	40	10,5	200	10	10	5
GCR 183	183,06	369	75	75	50	120	-	280	55	65	0	16		8	10	6



MRS Profiles